

# GRP2600 Series Essential IP Phones



Model	GRP2601/P	GRP2602/P/W	GRP2603/P	GRP2604/P
Display	132 x 48 (2.21") LCD display	132 x 48 (2.21") backlit graphical LCD display	132 x 64 backlit graphical LCD display	132 x 64 backlit graphical LCD display
Line/MP Keys	4 MPK	2 SIP, 4 MPK	3 SIP, 4 MPK	3 SIP, 4 MPK
SIP Accounts	2 SIP Accounts	4 SIP Accounts	6 SIP Accounts	6 SIP Accounts
Audio Conferencing	5-way audio conferencing	5-way audio conferencing	5-way audio conferencing	5-way audio conferencing
Auxiliary Ports	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)
Network Interfaces	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GRP2601P only)	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GRP2602P only)	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE (GRP2603P only)	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE (GRP2604P only)
Wi-Fi	No	Yes (GRP2602W only)	No	No
Device Management	GDMS	GDMS	GDMS	GDMS
Swappable Faceplate	No	Yes	Yes	Yes

# GRP2600 Series Carrier-Grade IP Phones



Model	GRP2612 (P/W)	GRP2613	GRP2614	GRP2615	GRP2616
Display	2.4 inch (320x240)	2.8 inch (320x240)	2.8 in. (320x240) + 2.4 inch	4.3 inch (480x272)	4.3 inch (480x272) + 2.4 inch
Line/MP Keys	4	6	12	10	48
SIP Accounts	2	3	4	5	6
Audio Conferencing	3-way audio conference	3-way audio conference	3-way audio conference	3-way audio conference	3-way audio conference
Auxiliary Ports	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets), USB	RJ9 headset jack (allowing EHS with Plantronics headsets), USB
Network Interfaces	Dual switched auto- sensing 10/100 Mbps Ethernet ports with integrated PoE(*PoE for 2612P & 2612W only)	Dual switched auto- sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto- sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto- sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto- sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE
Wi-Fi	Integrated (2612W only)	No	Yes, integrated dual-band Wi-Fi 802.11 a/b/g/n/ac (2.4GHz & 5GHz)	Yes, integrated dual- band Wi-Fi 802.11 a/b/ g/n/ac (2.4GHz & 5GHz)	Yes, integrated dual- band Wi-Fi 802.11 a/b/ g/n/ac (2.4GHz & 5GHz)
Bluetooth	No	No	Yes, integrated	Yes, integrated	Yes, integrated
Device Management	GDMS	GDMS	GDMS	GDMS	GDMS
Swappable Faceplate	Yes	Yes	Yes	Yes	Yes

# GRP260X Series vs GXP1600 Series

Model	GRP2601/P	GXP1610/1615	GRP2602/P/W	GXP1620/1625	GRP2603/P	GXP1628	GRP2604/P	GXP1630
Display	132 x 48 (2.21") LCD display	132 x 48 (2.95") LCD display	132 x 48 (2.21") backlit graphical LCD display	132 x 48 (2.95") backlit graphical LCD display	132 x 64 backlit graphical LCD display	132 x 48 (2.95") backlit graphical LCD display	132 x 64 backlit graphical LCD display	132 x 64 (2.98") backlit graphical LCD display
Line/MP Keys	4 MPK	2 Line	2 SIP, 4 MPK	2 Line	3 SIP, 4 MPK	2 Line	3 SIP, 4 MPK	3 Line
SIP Accounts	2 SIP Accounts	1 SIP Account	4 SIP Accounts	2 SIP Accounts	6 SIP Accounts	2 SIP Accounts	6 SIP Accounts	3 SIP Accounts
Audio Conferencing	5-way audio conferencing	3-way audio conferencing	5-way audio conferencing	3-way audio conferencing	5-way audio conferencing	3-way audio conferencing	5-way audio conferencing	3-way audio conferencing
Auxiliary Ports	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics & Jabra & Sennheiser headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)
Network Interfaces	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GRP2601P only)	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GXP1615 only)	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GRP2602P only)	Dual switched auto-sensing 10/100 Mbps Ethernet ports, integrated PoE (GXP1625 only)	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE (GRP2603P only)	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE (GRP2604P only)	Dual switched auto-sensing 10/100/1000 Mbps Ethernet ports, integrated PoE
Wi-Fi	No	No	Yes (GRP2602W only)	No	No	No	No	No
Device Management	GDMS	N/A	GDMS	N/A	GDMS	N/A	GDMS	N/A
Swappable Faceplate	No	No	Yes	No	Yes	No	Yes	No

# GRP26XX Series vs GXP2100 Series

Model	GRP2612 (P/W)	GXP2130	GRP2613	GXP2135	GRP2614	GXP2140	GRP2615	GXP2160	GRP2616	GXP2170
Display	2.4 inch (320x240)	2.8 inch (320x240) TFT color LCD	2.8 inch (320x240)	2.8 inch (320x240) TFT color LCD	2.8 in. (320x240) + 2.4 inch	4.3 inch (480x272) TFT color LCD	4.3 inch (480x272)	4.3 inch (480x272) TFT color LCD	4.3 inch (480x272) + 2.4 inch	4.3 inch (480x272) TFT color LCD
Line/MP Keys	4	3	6	8	12	4	10	6	48	12
SIP Accounts	2	3	3	4	4	4	5	6	6	6
Audio Conferencing	3-way audio conference	4-way audio conference	3-way audio conference	4-way audio conference	3-way audio conference	5-way audio conference	3-way audio conference	5-way audio conference	3-way audio conference	5-way audio conference
Auxiliary Ports	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets)	RJ9 headset jack (allowing EHS with Plantronics headsets), USB, extension module port	RJ9 headset jack (allowing EHS with Plantronics headsets), USB	RJ9 headset jack (allowing EHS with Plantronics headsets), USB	RJ9 headset jack (allowing EHS with Plantronics headsets), USB	RJ9 headset jack (allowing EHS with Plantronics headsets), USB, extension module port
Network Interfaces	Dual switched auto-sensing 10/100 Mbps Ethernet ports with integrated PoE(*PoE for 2612P & 2612W only)	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE	Dual switched auto-sensing 10/100/1000 Mbps Gigabit Ethernet ports with integrated PoE
Wi-Fi	Integrated (2612W only)	No	No	No	Yes, integrated dual-band Wi-Fi 802.11 a/b/g/n/ac (2.4GHz & 5GHz)	No	Yes, integrated dual-band Wi-Fi 802.11 a/b/g/n/ac (2.4GHz & 5GHz)	No	Yes, integrated dual-band Wi-Fi 802.11 a/b/g/n/ac (2.4GHz & 5GHz)	No
Bluetooth	No	Yes, Integrated	No	Yes, Integrated	Yes, integrated	Yes, Integrated	Yes, integrated	Yes, integrated	Yes, integrated	Yes, integrated
Device Management	GDMS	N/A	GDMS	N/A	GDMS	N/A	GDMS	N/A	GDMS	N/A
Swappable Faceplate	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No